

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE FRRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER

VERSION 4.2 PROGRAM, AGCESSIBLE THROUGHTHE US PATENT AND

TRADEMARK OFFICE WEBSITE SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):

  U.S. Patent and Trademark Office, 220 20<sup>th</sup> Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202

Revised 05/17/04

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 091910/354	
ATTN: NEW RULES CASES:	PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE	
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."	
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.	
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.	
SVariable Length	Sequence(s)contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.	
6Patentin 2.0 "bug"	A "bug" in Patentin version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.	
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped	() · ;
The state of the s	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.	
8 Skipped Sequences (NEW RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence <210> sequence id number <400> sequence id number 000	
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing.  Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.  In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	
10 Invalid <213> Response ·	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus species) <220> <221> section is required when <213> response is Unknown or is Artificial Sequence	•
11Usc of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses.  Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.  (See "Federal Register," 00/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)	
12Patentin 2.0	Please do not use "Copy to Disk" function of Patentln version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.	
13Misuse of n/Xaa	"n" can only represent a single nucleotide: "Xaa" can only represent a single amino acid	
	AMC - Biotechnology Systems Branch - 09/09/2003	



IFW16

		RAW SEQUENCE	LISTING	DATE: 05/28/20	04
		PATENT APPLI	CATION: US/09/910,354	TIME: 13:27:24	Yza
					$^{\prime}$ $^{\prime}$ $^{\prime}$ $^{\prime}$ $^{\prime}$ $^{\prime}$ $^{\prime}$
			A:\PTO.YF.txt	. 1 C	
	:	Output Set:	N:\CRF4\05282004\I91035	4.raw	Summary Summary Somply Diskette Needed
	3 <110>	APPLICANT: Jarrell,	et al., Kevin	W, ot	1 0 0 1
			Modular Vector Systems	- 20 0214	7212
		FILE REFERENCE: 200	3320-0032		
		CURRENT APPLICATION	NUMBER: 09/910,354	2e/ .5	•
		CURRENT FILING DATE	: 2001-07-20	Does Not C	omply
		NUMBER OF SEQ ID NO	S: 24	Corrected I	Diskette Needed 🥽
		SOFTWARE: PatentIn	version 3.2	Does Not Corrected I	9.1-4)
		SEQ ID NO: 1	w.		3,11,
		LENGTH: 23	5)5,00	Sylver 1, 1955	•
		TYPE: DNA	V	The least Fragment of a vector fragment	
		,	r EU-1 for amplification	n of a vector fragm	ent containing
V>			ication, Lac I gene, an		
		SEQUENCE: 1			Invalid
		tatat ctccttctta aag	2 mandatory	(2)32 Respons	
		SEQ ID NO: 2		Jack of Al	
		LENGTH: 22	has to be eight	n artition	s Response
		TYPE: DNA	UNY NOUND ON	cenus/specie	T. KDPOIL
			r Eu-2 for amplification	n of a vector fragme	enty containings
<b>1</b> >			cation, Lac I gene, and		
		SEQUENCE: 2			•
		gacca aaatccctta ac	'SAME CI	SBOR	22
		SEQ ID NO: 3	<u> </u>		
		LENGTH: 22	•		·
	38 <212>	TYPE: DNA		<del></del>	· ·
	39 <213>	ORGANISM: PCR prime:	r EU-3 for amplification	n of a vector fragme	ent containing Amp
<b>I</b> >	40 (gene.				
	42 <400>	SEQUENCE: 3	CAMP-	erron	
	43 gagat	tatca aaaaggatct tc	3 mile		22
	46 <210>	SEQ ID NO: 4			
	47 <211>	LENGTH: 20		•	
	48 <212>	TYPE: DNA			
	49 <213>	ORGANISM: PCR prime:	EU-4 for amplification	n of a vector fragme	ent containing Amp
<b>7</b> >	50 gene.				
	52 <400>	SEQUENCE: 4	\<\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Ceron	
	53 uaact	agcat aaccccttgg	SPITT		20
		SEQ ID NO: 5			
		LENGTH: 21			
		TYPE: DNA			
		,	5' Lac Z for amplific	ation of an insert 1	ragment containing
I>					
	60(Lac Z				3
					3
	62 < <del>400&gt;</del>	gene.		erron	21

DATE: 05/28/2004

TIME: 13:27:24

SAME Input Set : A:\PTO.YF.txt Output Set: N:\CRF4\05282004\1910354.raw 67 <211> LENGTH: 22 68 <212> TYPE: DNA 69 ORGANISM: PCR primer 3' Lac Z for amplification of an insert fragment containing 1--> 70 (Lac Z gene. 72 <400> SEQUENCE: 6 22 73 uuacaatttc cattcgccat tc 76 <210> SEO ID NO: 7 77 <211> LENGTH: 37 78 <212> TYPE: DNA 79 <213> ORGANISM: (PCR primer 5' OST for amplifying an Ori fragment from pET 19 b. 81 <400> SEQUENCE: 7 37 82 ctgctaagtg agcucgacag atcgctgaga taggtgc 85 <210> SEQ ID NO: 8 86 <211> LENGTH: 36 87 <212> TYPE: DNA 88 <213> ORGANISM: (PCR primer 1N 3' Ori(s) for amplifying an Ori fragment from pET 19b. 90 <400> SEQUENCE: 8 36 91 aagcttgcta agtagggcgt ttttccatag gctccg 94 <210> SEQ ID NO: 9 95 <211> LENGTH: 36 96 <212> TYPE: DNA 97 <213> ORGANISM: PCR primer 1NT5'KAN for amplifying a fragment containing the kanamycin V--> 98 (resistance gene from pCR2.1 topo. 100 <400> SEQUENCE: 9 36 101 ctacctagca agctuctatc tggacaaggg aaaacg 104 <210> SEQ ID NO: 10 105 <211> LENGTH: 41 106 <212> TYPE: DNA 107 <213> ORGANISM: PCR primer T73' KAN for amplifying a fragment containing the canamycin V--> 108 resistance gene from pCR2.1 topo. 110 <400> SEQUENCE: 10 41 111 ccctatagtq aqtcqtatta aggcgaaaac tctcaaggat c 114 <210> SEQ ID NO: 11 115 <211> LENGTH: 42 116 <212> TYPE: DNA 117 <213> ORGANISM: PCR primer tcs1 for amplifying a fragment containing the luciferase gene V--> 118 From pG1 II basic. 120 <400> SEQUENCE: 11 121 ttaatacgac tcactatagg gatggaagac gccaaaaaca ta 42 124 <210> SEQ ID NO: 12 125 <211> LENGTH: 36 126 <212> TYPE: DNA 127 <213> ORGANISM: PCR primer tc58 for amplifying a fragment containing the luciferase V--> 128 from pG1 II basic. 130 <400> SEQUENCE: 12 36 131 gageteactt ageagttaca atttggaett teegee 134 <210> SEQ ID NO: 13 135 <211> LENGTH: 36 136 <212> TYPE: DNA

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/910,354

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/910,354

DATE: 05/28/2004

TIME: 13:27:24

Input Set : A:\PTO.YF.txt

Output Set: N:\CRF4\05282004\I910354.raw

	137 <213> ORGANISM: PCR primer INT 5 KAN for amplifying a fragment conta	ining the
anar	nycin	
	138 (resistance gene from pCR 2.1 topo.	
/	140 <400> SEQUENCE: 13	
	141 ctacctagca agctuctate tggacaaggg aaaacg	36
	144 <210> SEQ ID NO: 14	
	145 <211> LENGTH: 33	,
	146 <212> TYPE: DNA	
	146 (212) TIPE: DNA 147 (213) ORGANISM: PCR primer 1NT 3'KAN for amplifying a fragment conta	ining the
anar	nycin	
	148 resistance gene from pCR 2.1 topo.	
	150 <400> SEQUENCE: 14	•
	151 gageteaett ageaaggega aaacteteaa gga	33
	154 <210> SEQ ID NO: 15	
	155 <211> LENGTH: 37	
	156 <212> TYPE: DNA	
,	157 <213> ORGANISM: PCR primer 1NT5' Ori for amplifying a fragment conta	ining the Ori
rom	157 (213) ORGANISM FOR PITMET 1113 OIT TOT dimptitying a 114 gineto conta	
	158 per 19b.	
,,	160 <400> SEQUENCE: 15	
	161 ttgctaagtg agcucgacag atcgctgaga taggtgc	37
	164 <210> SEQ ID NO: 16	<b>~</b> ·
	165 <211> LENGTH: 36	
	166 <212> TYPE: DNA	
	167 <213> ORGANISM: DCR primer 1N3'Ori(s) for amplifying a fragment cont	aining the Ori
	167 (213) ORGANISM: FCR PITMET INS OFF(S) FOR amprilying a fragment conte	aming the off
rom	100-FM 10b	
·>	168 (PET 19b 170 <400> SEQUENCE: 16	
	171 aagettgeta agtagggegt ttttecatag geteeg	36
	174 <210> SEQ ID NO: 17	30
	175 <211> LENGTH: 37	
	176 <211> TYPE: DNA	
	176 <212> TIPE: DNA 177 <213> ORGANISM: PCR primer 3nt 5'OST for amplifying an Ori fragment.	
		<b>∕</b> . , , , , , , , , , , , , , , , , , , ,
	179 <400> SEQUENCE: 17	37
	180 ctgctaagtg agcucgacag atcgctgaga taggtgc	3,
	183 <210> SEQ ID NO: 18	
	184 <211> LENGTH: 36	
	185 <212> TYPE: DNA	
	The second of the second secon	)
	186 <213> ORGANISM: (PCR primer 3nt 5'OST for amplfiying an Ori fragment.	)
	188 <400> SEQUENCE: 18	)
	188 <400> SEQUENCE: 18 189 aagcttgcta gguaggctac gtcttgctgg cgttcg	36
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19	36
	188 <400> SEQUENCE: 18 189 aagcttgcta gguaggctac gtcttgctgg cgttcg 192 <210> SEQ ID NO: 19 193 <211> LENGTH: 36	36
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA	
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment	
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment  197 <400> SEQUENCE: 19	)
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment	
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment  197 <400> SEQUENCE: 19	)
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment  197 <400> SEQUENCE: 19  198 ctacctagca agcuuctatc tggacaaggg aaaacg	)
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment  197 <400> SEQUENCE: 19  198 ctacctagca agcuuctatc tggacaaggg aaaacg  201 <210> SEQ ID NO: 20  202 <211> LENGTH: 35  203 <212> TYPE: DNA	36
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifiying a KAN fragment  197 <400> SEQUENCE: 19  198 ctacctagca agcuuctatc tggacaaggg aaaacg  201 <210> SEQ ID NO: 20  202 <211> LENGTH: 35	36
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment  197 <400> SEQUENCE: 19  198 ctacctagca agcuuctatc tggacaaggg aaaacg  201 <210> SEQ ID NO: 20  202 <211> LENGTH: 35  203 <212> TYPE: DNA	36
	188 <400> SEQUENCE: 18  189 aagcttgcta gguaggctac gtcttgctgg cgttcg  192 <210> SEQ ID NO: 19  193 <211> LENGTH: 36  194 <212> TYPE: DNA  195 <213> ORGANISM: PCR primer 3nt 5'KHT for amplifying a KAN fragment  197 <400> SEQUENCE: 19  198 ctacctagca agcuuctatc tggacaaggg aaaacg  201 <210> SEQ ID NO: 20  202 <211> LENGTH: 35  203 <212> TYPE: DNA  204 <213> ORGANISM: PCR primer 3nt 3'KST for amplifying an Ori(s) fragment	36

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/910,354

DATE: 05/28/2004

TIME: 13:27:24

Input Set : A:\PTO.YF.txt

Output Set: N:\CRF4\05282004\1910354.raw



	L.	
210 <210> SEQ ID NO:	21	
211 <211> LENGTH: 37		
212 <212> TYPE: DNA	2101 011	-\ 5
	PCR primer 1NT 5'ORI for amplifying an Ori(s	3) Iragment.
215 <400> SEQUENCE: 2	21	37
	gacag atcgctgaga taggtgc	37
219 <210> SEQ ID NO:		
220 <211> LENGTH: 36		
221 <212> TYPE: DNA	116.4	with fromont
	PCR primer 1NT3' Ori(s) for amplifying an Or	ri(s) fragment.
224 <400> SEQUENCE: 2	$2\bar{2}$	36
	ggegt ttttecatag geteeg	30
228 <210> SEQ ID NO:	23	
229 <211> LENGTH: 36		
230 <212> TYPE: DNA	The second of the second secon	Exament
	PCR primer 1NT 5'KAN for amplifying an KAN	Tragment.
233 <400> SEQUENCE: 3		36
	ctatc tggacaaggg aaaacg	. 30
237 <210> SEQ ID NO:		
238 <211> LENGTH: 33		<u> </u>
239 <212> TYPE: DNA	A company of the state on Original	$f_{i}$
	PCR primer 1NT3'KAN for amplifying an Ori(s	<i>''</i>
242 <400> SEQUENCE: 2	,	33
243 gageteaett ageaag	ggcga aaacteteaa gga	,,,

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 05/28/2004

PATENT APPLICATION: US/09/910,354

TIME: 13:27:25

Input Set : A:\PTO.YF.txt

Output Set: N:\CRF4\05282004\I910354.raw

## Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:11; Line(s) 117 Seq#:12; Line(s) 127

## VERIFICATION SUMMARY

PATENT APPLICATION: US/09/910,354

DATE: 05/28/2004 TIME: 13:27:25

Input Set : A:\PTO.YF.txt

Output Set: N:\CRF4\05282004\1910354.raw

```
L:20 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:30 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:40 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:50 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:60 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:70 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:98 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:108 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:118 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:128 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:138 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:148 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:158 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:158 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:168 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
L:168 M:259 W: Allowed number of lines exceeded, <213> ORGANISM:
```